




WET 7 Filter Change Manual




1. Turn OFF the water supply by doing one of the following two options:

a) shut off valve located by P1 Pre-Filter



or b) shut off valve located at the water "source" from the cold line





Pre Filter Example

2. Run the Spring Aqua faucet until no more water is coming out, this is a good way to check that the water is actually turned off.

3. Slide the Gold and Red Box out gently from under the sink.


4. Remove the Lid and pull the side panels off for both the Gold and Red box.



Red Box

5. If there is any foam padding between and under the filters, pull them out and throw them away. These will no longer be needed.

6. Locate the safety switch at the bottom plate of the Gold and Red box and flip it up to shut off all the water supply.



7, You will also need a TOWEL to change out the filters in the Gold and Red box.






Image is showing an example on how to twist the filters off and put them back in.

Gold Box: Numbers are labeled **blue**


Red Box: Numbers are labeled in **green**

8. Reset the flow meter back to 1600 gallons.


turn clockwise until the
down arrow points to
1600 gallons




9. Dry the area thoroughly for both the Gold and Red Box. If the cotton ball inside the safety switch is wet and has expanded, then remove the wet cotton ball, dry the area inside and outside, and place a new cotton ball in the hole.




10. Flip the safety switch back to allow water flow when your filter change is complete.



11. Slide the side panels back and put the lid back on both the Gold and Red Box.



12. Change your pre-filters.



Pre Filter Example




image is showing an example
on how to twist the filters off
and put them back in,

13. Place the Gold box, Red box, and pre-filters back under the sink.
14. To allow water flow again, turn the **blue shut off valve** "ON" that is located either at the pre-filters or the main water supply under the kitchen sink.
(Go back to #1 to see the details)
15. Flush the water on the left and right side for 15mins each before usage.
16. Check to make sure that there are no leaks.

THANK YOU



For further questions, please contact customer service at 1-888-850-3743